





Experts in Roofing,
Waterproofing and
Building Materials

PRODUCT GUIDE

RADMAT PRODUCTS - BY RANGE

		FLOORING	SPC FLOORING	04
		FLAT SHEETS	CLEAR POLYCARBONATE	07
			CLEAR ACRYLIC	07
			HYGIENE CLADDING PANELS	08
		POLYCARBONATE SHEETING AND ACCESSORIES	MULTIWALL SHEETS	10
			GLAZING BARS - CAPEX 50/70	13
			GLAZING BARS - SNAP DOWN	15
			ACCESSORIES	17
		CORRUGATED ROOFING AND ACCESSORIES	CLEAR	21
			BLACK	23
			BITUMEN	24
		ROOFING MEMBRANES	ROOF FELTS	27
			ROOF SHINGLES	28
			SBS TORCH ON	29
			BREATHER MEMBRANES	33
		PLASTERING AND DRYLINING	GALVANISED BEADS	35
			PVC BEADS	36
			DRYWALL SCREWS	37
			JOINTING AND FINISHING	38



RADMAT BUILDING MATERIALS

Radmat Building Materials is a dedicated manufacturing and distribution company in the building materials sector. We specialise in providing high-quality, high reliability roofing and waterproofing solutions to our customers with product ranges that have been meticulously crafted to not only meet but exceed industry standards.

From exceptional customer service to streamlined supply chain management, our commitment is unwavering and guarantees efficient delivery of market-leading solutions famous for their durability and performance. Our services also include dropshipping for retailers and bespoke cut-to-size solutions for EPDM, plastic roofing and glazing materials.

To find out more call us on **01452 203276**,
email us at **enquiries@radmatbm.com**, scan the QR codes
to see our links or visit our website at

www.radmatbm.com



SPC FLOORING

Tough, durable and beautiful - our range of SPC flooring offers a design and colour to suit any situation. It's also easy to install with full installation instructions available on our website.

Our SPC flooring comes with a plank size of 1220mm x 180mm and is 5mm thick.


Some of the features and benefits of our SPC flooring range include:

- Stain resistance
- Scratch and abrasion resistance
- Impact resistance
- Anti-slip
- Noise resistance
- 100% waterproof



SPC FLOORING


SPC FLOORING TOUGH MULTI-LAYER STRUCTURE



25
YRS

SPC FLOORING Pack of 10 - Coverage: 2.196m²

LENGTH: 1220mm • WIDTH: 180mm • THICKNESS: 5mm




803406 • CHESTNUT OAK



803407 • LATTE OAK



803408 • BRUSHED OAK



803409 • SLATE GREY




803410 • PEBBLE GREY




803939 • FROSTED GREY




803940 • BLONDE OAK



803941 • DARK OAK



803942 • AMBER OAK



FLAT SHEETS

Explore our comprehensive range of solid glazing options, including polycarbonate and acrylic sheeting. Our flat polycarbonate offers high performance and a high impact threshold. Acrylic combines a high gloss finish with good optical clarity and excellent weatherability. Both materials are suitable for a wide variety of interior and exterior design applications.

ACRYLIC

- 10x stronger than glass (Impact resistance)
- Optically clear and UV protected on both sides
- Scratch-resistant
- Mouldable when heated, retains shape upon cooling
- Perfect for signs, display cabinets & shed windows
- Printable surface

POLYCARBONATE

- 200x stronger than glass (Impact resistance)
- Optically clear and UV protected on both sides
- More workable and forgiving than other clear plastics
- Can be cold bent and thermoformed
- Commonly used for shelters, glazing and roofing

SECTION CONTENTS:


PAGE:

GLAZING SHEETS

07

HYGIENE CLADDING PANELS

08



GLAZING SHEETS

CLEAR ACRYLIC GLAZING SHEETS

Clear Acrylic Glazing Sheets **Cut to Size**

CODE	THICKNESS	MAX SIZE		CODE	THICKNESS	MAX SIZE
805361	2mm	3050 x 2050mm		805363	6mm	3050 x 2050mm
805362	4mm	3050 x 2050mm		805364	10mm	3050 x 2050mm

Clear Acrylic Glazing Sheets **Stock Range**

SHEET THICKNESS	SHEET DIMENSIONS				
	3050 X 2050mm	2440 X 1200mm	1800 X 600mm	1200 X 1200mm	1200 X 600mm
2mm	805346	•	805355	805358	805352
3mm	•	805350	•	•	•
4mm	805347	•	805356	805359	805353
5mm	•	805351	•	•	•
6mm	805348	•	805357	805360	805354
10mm	805349	•	•	•	•

CLEAR POLYCARBONATE GLAZING SHEETS

Clear Polycarbonate Glazing Sheets **Cut to Size**

CODE	THICKNESS	MAX SIZE		CODE	THICKNESS	MAX SIZE
805380	2mm	3050 x 2050mm		805382	6mm	3050 x 2050mm
805381	4mm	3050 x 2050mm		805383	10mm	3050 x 2050mm

Clear Polycarbonate Glazing Sheets **Stock Range**

SHEET THICKNESS	SHEET DIMENSIONS				
	3050 X 2050mm	2440 X 1200mm	1800 X 600mm	1200 X 1200mm	1200 X 600mm
2mm	805331	•	805340	805343	805337
3mm	•	805335	•	•	•
4mm	805332	•	805341	805344	805338
5mm	•	805336	•	•	•
6mm	805333	•	805342	805345	805339
10mm	805334	•	•	•	•

Please note: other variations are available to order, please contact us with your requirements

HYGIENE CLADDING SHEETS

Radmat Hygienic Cladding is moisture- and chemical-resistant, fire-rated to B-s1,d0, and built to perform.


From food prep and sterile areas to partitions, displays and marine use, it delivers lasting protection and a wipe clean, professional finish wherever it's installed.

WHITE HYGIENE CLADDING PANELS


CODE	DESCRIPTION	LENGTH	WIDTH	THICKNESS	COLOUR
804985	Hygiene Cladding Panel	2440mm	1220mm	2.5mm	White
804985	Hygiene Cladding Panel	3050mm	1220mm	2.5mm	White

WHITE HYGIENE CLADDING COLOUR MATCHED ACCESSORIES

CODE	DESCRIPTION	LENGTH	COLOUR
804973	H Section - 1 Part	2440mm	White
804974	H Section - 1 Part	3000mm	White
804975	H Section - 2 Part - Cap	2440mm	White
804977	H Section - 2 Part - Base	2440mm	White
804976	H Section - 2 Part - Cap	3000mm	White
804978	H Section - 2 Part - Base	3000mm	White
804983	90° Angle Profile	2440mm	White
804984	90° Angle Profile	3000mm	White
804971	J Section Edge Trim	2440mm	White
804972	J Section Edge Trim	3000mm	White
804981	F Profile / External Corner Trim	2440mm	White
804982	F Profile / External Corner Trim	3000mm	White
804979	Internal Corner Trim	2440mm	White
804980	Internal Corner Trim	3000mm	White




804973 / 804974



804975 / 6 / 7 / 8




804983 / 804984



804971 / 804972



804981 / 804982



804979 / 804980

POLYCARBONATE ROOFING & ACCESSORIES

Polycarbonate multiwall roofing sheets are durable, lightweight, and highly impact-resistant, offering superior thermal insulation and UV protection. With excellent light transmission, they are easy to install and weather-resistant.

Available in thicknesses from 4mm to 35mm and various profiles, our range comes in Clear, Bronze, Opal, and a variety of dual tints, with custom sizing available.

RANGE SIZES:



4 / 6 / 10mm TWINWALL



16mm TRIPLE WALL



25mm MULTI WALL
35mm MULTI WALL

AVAILABLE IN:

C

CLEAR

B

BRONZE

O


OPAL

B+O


BRONZE/OPAL

A

ATHERMIC / LIGHT DIFFUSING



POLYCARBONATE ROOFING



Multiwall Polycarbonate Sheets Stock 4mm and 6mm Ranges





Sheet Width (mm) ▼		Sheet Length (mm) ▶	4mm TWINWALL		6mm TWINWALL	
			6000	1200	6000	1200
2100	Clear		805179	•	805182	•
1200	Clear		•	805178	•	805181
600	Clear		•	805177	•	805180


Multiwall Polycarbonate Sheets Stock 10mm and 16mm Ranges



Sheet Width (mm) ▼		Sheet Length (mm) ▶	10mm TWINWALL				16mm TRIPLEWALL			
			6000	4000	3000	2000	6000	4000	3000	2000
2100	Clear		805186	805189	805192	805195	805246	805249	805252	805255
	Bronze		805187	805190	805193	805196	805247	805250	805253	805256
	Opal		805188	805191	805194	805197	805248	805251	805254	805257
1050	Clear		805201	805204	805207	805210	805261	805264	805267	805270
	Bronze		805202	805205	805208	805211	805262	805265	805268	805271
	Opal		805203	805206	805209	805212	805263	805266	805269	805272
700	Clear		805216	805219	805222	805225	805276	805279	805282	805285
	Bronze		805217	805220	805223	805226	805277	805280	805283	805286
	Opal		805218	805221	805224	805227	805278	805281	805284	805287
525	Clear		805231	805234	805237	805240	•	•	•	•
	Bronze		805232	805235	805238	805241	•	•	•	•
	Opal		805233	805236	805239	805242	•	•	•	•



POLYCARBONATE ROOFING



Multiwall Polycarbonate Sheets Stock 25mm and 35mm Ranges



Sheet Width (mm) ▼		25mm MULTIWALL			35mm M/WALL
Sheet Length (mm) ►		6000	4000	3000	6000
2100	Clear	805293	805298	805303	805328
	Bronze	805294	805299	805304	•
	Opal	805295	805300	805305	805329
	Bronze / Opal	805296	805301	805306	•
	Grey / Opal	805297	805302	805307	805330
1050	Clear	805313	805318	805323	•
	Bronze	805314	805319	805324	•
	Opal	805315	805320	805325	•
	Bronze / Opal	805316	805321	805326	•
	Grey / Opal	805317	805322	805327	•



POLYCARBONATE ROOFING



Meet the Radmat Service



- Fast Free Delivery usually within 4 days of order
- High Quality, robust sheet in a large and varied range of thicknesses and colour options
- All products are covered by our peace of mind guarantees
- Our technical department is ready to assist you with quotes, queries and take offs!
- Email us at: technical@radmatbm.com

SCAN FOR
INSTALLATION
VIDEO



Multiwall Polycarbonate Sheets Cut to Size (max size 6000 x 2100mm)

CODE	SIZE	TINT
805367	4mm Twinwall	Clear
805368	6mm Twinwall	Clear
805369	10mm Twinwall	Clear
805366	10mm Twinwall	Bronze
805370	10mm Twinwall	Opal
805372	16mm Triplewall	Clear
805371	16mm Triplewall	Bronze
805373	16mm Triplewall	Opal





CODE	SIZE	TINT
805376	25mm Multiwall	Clear
805375	25mm Multiwall	Bronze
805377	25mm Multiwall	Opal
805374	25mm Multiwall	Grey / Opal
805365	25mm Multiwall	Bronze / Opal
805378	35mm Multiwall	Clear
805379	35mm Multiwall	Opal



GLAZING BAR SYSTEMS

Capex 50mm / 70mm Concealed Fixing Glazing Bar System



Capex 70mm Concealed Fixing Glazing Bar System

DESCRIPTION	LENGTH	BROWN	GREY	WHITE
 Glazing Bar and Rafter Gasket	3000	801550	801961	801551
	3600	801552	.	801553
	4800	801962	801963	801555
 Hip Bar and Rafter Gasket	3000	801964	801965	801966
 Wall Flashing Bar and Rafter Gasket	3000	801969	801970	801971
 Gable End Bar and Gasket	3000	801967	801968	801554
	6000	.	.	801929

GLAZING BAR SYSTEMS

Capex 70mm Extended End Caps



DESCRIPTION		BLACK	BROWN	GREY	WHITE
Capex 70 Extended End Caps	PVC	801996	801997	801998	801999
	Aluminium	.	801935	801936	801937
70mm Hip Jack Cap		801991	.	.	.

Capex 50mm Concealed Fixing Glazing Bar System

DESCRIPTION		LENGTH	BROWN	GREY	WHITE
Glazing Bar and Rafter Gasket		3000	801950	801951	801952
		4800	801953	801954	801955
Gable End Bar and Gasket		3000	801956	801957	801928
Wall Flashing Bar and Rafter Gasket		3000	801958	801959	801960
DESCRIPTION		BLACK	BROWN	GREY	WHITE
Capex 50 Extended End Caps	PVC	801992	801993	801994	801995
	Aluminium	•	801932	801933	801934

GLAZING BAR SYSTEMS



Capex Snap Down 50mm Glazing Bar System for 10mm - 25mm multiwall sheets




DESCRIPTION	LENGTH	BROWN	GREY	WHITE
Glazing Bar and Rafter Gasket 	6000	801815	801816	801817
	5000	801812	801813	801814
	4000	801809	801810	801811
	3000	801806	801807	801808
	2500	•	•	801926
	2000	801803	801804	801805
Gable End Profile <i>Must be installed with snap down glazing bar (not included).</i> 	6000	•	•	801892
	5000	•	•	801881
	4000	•	•	801891
	3000	•	•	801890
	2500	•	•	801889
	2000	•	•	801893
Lean-to Wall Flashing 	6000	•	•	801886
	3000	•	•	801885
Extended End Cap 	•	803744	803743	801888

GLAZING BAR SYSTEMS


Cresfinex Concealed Fixing Ridge System



DESCRIPTION	LENGTH	BROWN	GREY	WHITE
Cresfinex Ridge 	2400	801976	801977	801978
	3000	801979	801980	801981
	6000	.	.	801884
Cresfinex Ridge Snap Cover 	3000	801988	801989	801990
Cresfinex Ridge End Cap 	.	801982	801983	801984
Cresfinex Ridge Radius End Cap 	.	801985	801986	801987
DESCRIPTION			SIZE	BLACK
Cresfinex Hip Bridging 			50mm	801973
			70mm	801975
Cresfinex Bridging 			50mm	801972
			70mm	801974

POLYCARBONATE ROOFING ACCESSORIES

AnkorGlaze Condensation Control - 2100mm



DESCRIPTION	WIDTH	BROWN	GREY	WHITE
	20mm	801947	801948	801949
	25mm	801941	801942	801943

PVC F-Section for 10mm - 25mm multiwall sheets

DESCRIPTION	LENGTH	BROWN	GREY	WHITE
For 10mm polycarbonate sheets 	2000	801818	801819	801820
	3000	801821	801822	801823
	4000	801824	801825	801826
	5000	801827	801828	801829
	6000	801830	801831	801832
For 16mm polycarbonate sheets 	2000	801833	801834	801835
	3000	801836	801837	801838
	4000	801839	801840	801841
	5000	801842	801843	801844
	6000	801845	801846	801847

POLYCARBONATE ROOFING ACCESSORIES




PVC F-Section (Cont) for 10mm - 25mm multiwall sheets

DESCRIPTION	LENGTH	BROWN	GREY	WHITE
For 25mm polycarbonate sheets 	2000	801848	801849	801850
	3000	801851	801852	801853
	4000	801854	801855	801856
	5000	801857	801858	801859
	6000	801860	801861	801862

Roof Sheet Closure Profile (RSC) for 10mm - 25mm multiwall sheets

FOR SHEET THICKNESS	LENGTH	BROWN	GREY	WHITE
10mm 	2100	801863	801864	801865
16mm 	2100	801866	801867	801868
25mm 	2100	801869	801870	801871
35mm	2100	.	.	801887

Joining strips, Verges and Sheet Closures


DESCRIPTION	CODE	FOR SHEET	LENGTH	WIDTH	COLOUR
Polycarbonate and aluminium 'C' Profiles 	800399	10mm	3000	20	CLEAR
	800401	16mm	3000	30	CLEAR
	800405	16mm	2000	30	CLEAR
	800403	16mm	3000	25	ALUMINIUM
Polycarbonate and aluminium 'H' Profiles 	800406	10mm	3000	30	CLEAR
	800400	16mm	3000	60	CLEAR
	800402	16mm	3000	40	ALUMINIUM
Aluminium 'F' Profile 	800404	16mm	3000	30	ALUMINIUM

POLYCARBONATE ROOFING ACCESSORIES

Polycarbonate Fixing Buttons (pack of 10 - screws included)

FOR SHEET THICKNESS	BROWN	GREY	WHITE
10mm 	801872	801873	801874
16mm 	801875	801876	801877
25mm 	801878	801879	801880


Polycarbonate Fixing Buttons (pack of 50 - screws not included)

FOR SHEET THICKNESS	CLEAR
10mm / 16mm 	800383

Flashing Tape (self adhesive)

	WIDTH	LENGTH	TERRACOTTA	ALUMINIUM	GREY
	100	3000	800306	800314	800322
	100	10,000	800307	800315	800323
	150	3000	800308	800316	800324
	150	10,000	800309	800317	800325
	200	3000	•	•	800326
	200	10,000	800311	800319	800327
	250	3000	•	•	800328
	250	10,000	800313	800321	800329

Breather and Sealer Tapes (self adhesive)

CODE	DESCRIPTION	WIDTH	LENGTH	
	Polycarbonate Multiwall Breather Tape 	38	10m	800381
	Blue Antifungal Breather Tape for 25mm Sheets	45	10m	805093
	Polycarbonate Multiwall Aluminium Sealing Tape 	38	10m	800382

CORRUGATED ROOFING



Radmat provides a versatile range of lightweight bitumen and corrugated roofing sheets, ideal for sheds, carports, pergolas, and more. Available in PVC, polyester, and polycarbonate, our sheets offer durability, weather resistance, and easy installation, even for DIY projects. With a variety of profiles, thicknesses, and light-transmitting designs, they deliver a cost-effective and long-lasting roofing solution.

To complement our range, we also offer essential accessories, including tapes, flashings, foam eaves fillers, screws, and corrugated caps.

SECTION CONTENTS:

PAGE:


CLEAR CORRUGATED SHEETS	21
BLACK CORRUGATED SHEETS	23
CORRUGATED BITUMEN SHEETS	24



3" ASB PVC CLEAR CORRUGATED SHEETS

Radmat 3" ASB PVC roof sheets are the practical and versatile choice for carports, canopies, sheds, and light industrial buildings.

Made from high-quality PVC, they are lightweight yet tough, offering excellent resistance to weathering and impact. The 3" profile ensures reliable strength and drainage, while the clear finish allows natural light to brighten covered spaces, making them both functional and economical.



	Heavy Duty • 1.3mm	Standard • 1.1mm	Eco • 0.8mm
LENGTH (mm)	ALL SHEETS ARE 762mm WIDE • COVER WIDTH 651mm		
1525	801504	801756	801511
1825	801505	801757	801512
2125	801506	801758	801513
2440	801507	801759	801514
2750	801508	801760	801515
3050	801509	801761	801516
3660	801510	801762	801517



Accessories for use with 3" ASB PVC clear corrugated sheeting

CODE	DESCRIPTION	LENGTH	WIDTH	COLOUR
803785	3" ASB Flexible Foam Eaves Filler (Pack of 4)	•	730	White
803786	3" ASB Flexible Foam Eaves Filler (Pack of 4)	•	730	Black
803791	3" ASB Wall Flashing	762	150	Clear
803790	3" ASB Corru Caps with Screws (Pack of 20)	18	20	Clear




Solstice

CORRUGATED SHEETS

The Solstice 10/93 range has 10 corrugations and a 93mm crown-to-crown profile. This means all of the range has the same 930mm width providing a cover width of 837mm.

Solstice 10/93 sheets are ideal as a standalone roofing solution - cost-effective, easy to install and available in a range of materials to suit a wide variety of applications.

Choose from traditional GRP, polycarbonate up to 200x stronger than glass, or versatile, chemically resistant PVC, all supported by a full range of matching accessories.



Solstice 10/93 profile
Sheet width 930mm
Cover width 837mm

15
YRS


Solstice Polycarbonate 10/93 Profile Sheet			Solstice PVC 10/93 Profile Sheet			Solstice GRP 10/93 Profile Sheet		
CODE	LENGTH	TINT	CODE	LENGTH	TINT	CODE	LENGTH	TINT
800345	2000	Clear	801930	1000	Clear	800344	2000	Clear
801519	2500	Clear	800343	2000	Clear			
801521	3000	Clear	800346	2000	Bronze			
801931	4000	Clear	800765	2500	Clear			
			800766	3000	Clear			

Accessories for use with corrugated roofing sheets

CODE	DESCRIPTION	LENGTH	WIDTH	THICK	COLOUR
802960	Flexible Foam Eaves Filler (Pack of 4)	930	100	25	Black
800349	Flexible Foam Eaves Filler (Pack of 4)	930	100	25	White
800348	Corrugated Fixing Caps (Pack of 50)	40	20	•	Clear
800347	Wall Flashing	950	150	0.8	Clear



BLACK CORRUGATED SHEETS



SINUS PVC


WIDTH: 875mm • THICKNESS: 1mm

CODE	LENGTH	COLOUR
803824	2000	Black
803825	2500	Black
803826	3000	Black

SINUS ECO PVC

WIDTH: 875mm • THICKNESS: 1.2mm

CODE	LENGTH	COLOUR
803827	2000	Black
803828	2500	Black
803829	3000	Black



CLASSIC PVC

WIDTH: 930mm • THICKNESS: 1mm

CODE	LENGTH	COLOUR
803833	2000	Black
803834	2500	Black
803835	3000	Black

CLASSIC ECO PVC

WIDTH: 930mm • THICKNESS: 1.2mm

CODE	LENGTH	COLOUR
803836	2000	Black
803837	2500	Black
803838	3000	Black

SINUS SHIELD POLYCARBONATE

WIDTH: 875mm • THICKNESS: 0.8mm

CODE	LENGTH	COLOUR
803830	2000	Black
803831	2500	Black
803832	3000	Black

CLASSIC SHIELD POLYCARBONATE



WIDTH: 930mm • THICKNESS: 0.8mm

CODE	LENGTH	COLOUR
803839	2000	Black
803840	2500	Black
803841	3000	Black

CORRUGATED BITUMEN ROOF SHEETS

Radmat's range of corrugated bitumen sheets provide a lightweight, strong and easy-to-install roofing solution for sheds, garages, and outbuildings. Offering excellent weather resistance and durability, they are available in a range of colours with matching accessories, delivering a practical, low-maintenance finish.

15
YRS



2m Standard Corrugated Bitumen Sheets

LENGTH: 2000mm • WIDTH: 950mm • THICKNESS: 2.6mm • COVER WIDTH: 855mm

801903 **Black** 801905 **Red** 801904 **Green**

2m Eco Corrugated Bitumen Sheets

LENGTH: 2000mm • WIDTH: 930mm • THICKNESS: 2.2mm • COVER WIDTH: 837mm

800297 **Black** 800295 **Red** 800296 **Green** 801580 **Brown**

1m Eco Corrugated Bitumen Sheets

LENGTH: 1000mm • WIDTH: 837mm • THICKNESS: 2.2mm • COVER WIDTH: 744mm

801769 **Black** 801771 **Red** 801770 **Green** 801772 **Brown**

Corrugated Bitumen Sheet Accessories

DESCRIPTION	BLACK	RED	GREEN	BROWN
Bitumen Ridge - 1000mm(L) x 450mm(W)	800300	800298	800299	801582
Bitumen Edge - 1000mm(L) x 330mm(W)	800341	800339	800340	801583
65mm Fixing Nails - packs of 100	800375	800373	800374	801581
65mm Fixing Nails - packs of 50	801922	801924	801923	801925

SCAN FOR
INSTALLATION
VIDEO




800300 - Bitumen Ridge



800341 - Bitumen Edge




800373 - 65mm Fixing Nails




CORRUGATED BITUMEN ROOF SHEETS



EASYFIX



CLASSIC



15
YRS

ONDULINE EASYFIX **Profiled Bitumen Sheets**

LENGTH: 2000mm • WIDTH: 820mm • THICKNESS: 2.6mm • COVER WIDTH: 724mm

800977	Black	800978	Red	800979	Green	800980	Brown	800981	Grey
--------	-------	--------	-----	--------	-------	--------	-------	--------	------

ONDULINE CLASSIC **Profiled Bitumen Sheets**


LENGTH: 2000mm • WIDTH: 950mm • THICKNESS: 3mm • COVER WIDTH: 855mm

803805	Black	803808	Red	803809	Green	803810	Brown	803811	Grey
--------	-------	--------	-----	--------	-------	--------	-------	--------	------


Onduline Easyfix and Classic **Accessories**

DESCRIPTION	BLACK	RED	GREEN	BROWN	GREY
Onduline Ridge - 1000mm (L) x 420mm (W)	800982	800983	800984	800985	800986
Onduline Edge - 1000mm (L) x 410mm (W)	800987	800988	800989	800990	800991
65mm Nails - packs of 100	803812	803813	803814	803815	801112
65mm Screws - Packs of 100	803816	803817	803818	803819	.
1000mm Ventilation Strip	803821	.	.	.	.
1500mm Eaves Tray	803822	.	.	.	.
1120mm Batten Cloaking Piece	803823	.	.	.	.
1008mm EasyFix Foam Eaves Filler (4Pk)	.	.	.	.	800996
1056mm Classic Foam Eaves Filler (4Pk)	.	.	.	.	803820

800982 - Onduline Ridge



800987 - Onduline Edge



800996 - Foam Eaves Filler





BITUMEN ROOFING MEMBRANES

We offer a huge range of bitumen roofing membranes from simple traditional shed felts to multilayer pour & roll and torch-on systems.

We also offer a range of bitumen liquid solutions which include paints, adhesives, sealers and all-weather systems.

SECTION CONTENTS:	PAGE:
ROOFPRO SHED FELTS & LIQUIDS	27
ROOF SHINGLES	28
TORCH ON BITUMEN	29
POUR AND ROLL	30
UNDERSLATORS FELT	31
BITUMEN LIQUIDS	32
BREATHER MEMBRANES	33





SUPER SHED FELT Polyester

CODE	SIZE	WEIGHT	COLOUR
800356	10m x 1m	2 KG M ²	Black
800352	10m x 1m		Red
800353	10m x 1m		Green
801140	8m x 1m	2.25 KG M ²	Black
801141	8m x 1m		Green

15
YRS



TRADITIONAL SHED FELT Polyester

CODE	SIZE	WEIGHT	COLOUR
800763	10m x 1m	1.8 KG M ²	Black
800351	10m x 1m		Green

5
YRS

ROOFPRO BITUMEN LIQUID SOLUTIONS



Felt Adhesive

800357	5 Litres
800460	2.5 Litres



Bitumen Primer

800330	1 Litre
--------	---------



Lap Mastic

800358	310 ml
--------	--------



FLEXYPOL 1-COAT WATERPROOFER


800762	5 Kg	Black
800761	5 Kg	Grey
800760	2.5 Kg	Black
800759	2.5 Kg	Grey
800758	1 Kg	Black
800757	1 Kg	Grey

SQUARE Roof Shingles - Pack of 16. Coverage: 2.38m²



LENGTH: 1000mm • WIDTH: 330mm • THICKNESS: 3mm

800769 • RED



800770 • GREEN



800771 • SLATE



ROUND Roof Shingles - Pack of 16. Coverage: 2.38m²



LENGTH: 1000mm • WIDTH: 330mm • THICKNESS: 3mm

800772 • RED



800773 • GREEN



800774 • SLATE



ROSE ROOFING

BITUMEN ROOFING MEMBRANES



DURA-TORCH (Standard) SBS torch-on polyester

8m x 1m

801585	Sand
801586	Green
801589	Brown
801588	Charcoal

10
YRS

4
KG M²



DURA-TORCH PLUS (Contractor range) SBS torch-on polyester

8m x 1m

801717	Sand
801718	Green
801719	Charcoal

15
YRS

4.5
KG M²



DURA-TORCH GLASS UNDERLAY HDPE film / glass fibre

16m x 1m

801712	Sand
--------	------

10
YRS

2
KG M²



DURA-TORCH PLUS FILM UNDERLAY HDPE film

16m x 1m

801714	Film
--------	------

15
YRS

2.12
KG M²



MODI-TORCH (Contractor plus range) SBS torch-on polyester

8m x 1m

801720	Sand
801721	Green
801722	Charcoal

20
YRS

4.5
KG M²



MODI-TORCH INTERMEDIATE HDPE film / polyester

12m x 1m

801713	Sand
--------	------

20
YRS

3
KG M²

ROSE ROOFING

BITUMEN ROOFING MEMBRANES

	MODI-TORCH FILM UNDERLAY HDPE film	
12m x 1m		
801716	Film	
3 KG M²		

	GLASS TORCH PERFORATED SAND HDPE film / glass fibre	
20m x 1m		
801715	Sand	
1.8 KG M²		

			
180			
250			

POUR & ROLL STANDARD POLYESTER			
180 Standard Polyester - 1m wide roll			
801724	20m Underlay	1.8kg m ²	Sand
801725	10m Capsheet	3.4kg m ²	Green
250 Standard Polyester - 1m wide roll			
801726	20m Underlay	2kg m ²	Sand
801727	10m Capsheet	4kg m ²	Green

	
---	---

POUR & ROLL GLASS FIBRE RANGE			
3B Glass Bonding - 1m wide roll			
801728	20m	1.8kg m ²	Sand
3H Glass Preparation Layer - Perforated - 1m wide roll			
801729	20m	1.7kg m ²	Sand

ROSE ROOFING

BITUMEN ROOFING MEMBRANES



POUR & ROLL RAG FIBRE RANGE

Bonding Felt (1B) - 1m wide roll

801730	10m	1.8kg m ²	Sand
801731	20m	1.8kg m ²	Sand

Mineral Capsheet - 1m wide roll

801732	10m	3.4kg m ²	Green
--------	-----	----------------------	-------

Mineral Lightweight Capsheet - 1m wide roll

801733	10m	2.9kg m ²	Green
--------	-----	----------------------	-------



UNIVERSAL UNDERLAY Polyester

10m x 1m

800355	Sand
--------	------

10
YRS

1.8
KG M²



UNIVERSAL CAP SHEET Polyester

10m x 1m

800354	Dark Grey
--------	-----------

10
YRS

2.9
KG M²



FLEXI-SHED HIGH PERFORMANCE Polyester

10m x 1m - 2.2kg m²

801740	Charcoal
--------	----------

20m x 1m - 4.4kg m²

801739	Charcoal
--------	----------



1F UNDERSLATERS FELT Paper / Hessian

15m x 1m - 1.5kg m²

801741	Sand
--------	------

ROSE ROOFING

BITUMEN ROOFING MEMBRANES



POLYESTER EAVES TAPING STRIPS

CODE	SIZE	WEIGHT	COLOUR
801742	16m x 500mm	14.5kg	Sand
801743	16m x 333mm	9.6kg	Sand



KEGGED BITUMEN 95/25

CODE	SIZE	WEIGHT	COLOUR
801723	.	40kg	BLACK



BITUMEN LIQUID SOLUTIONS

Felt Adhesive

801753	2.5 Litres
801755	5 Litres
801754	25 Litres



Bitumen Paint

801747	2.5 Litres
801749	5 Litres
801748	25 Litres



Bitumen Primer

801750	2.5 Litres
801752	5 Litres
801751	25 Litres




All Weather Coating

801744	2.5 Litres
801746	5 Litres
801745	25 Litres

Onduline®

BREATHER MEMBRANES



ONDUTISS AIR ZONAL MAP	Product	≤345mm batten gauge	≤250mm batten gauge
	Air 100	Zone 1	Zone 1 to 5
	Air 120	Zone 1 to 2	Zone 1 to 5
	Air 140/160	Zone 1 to 5	Zone 1 to 5

ONDUTISS AIR BREATHER MEMBRANE 100BBA

GREY

801186	50m x 1.5m
801187	50m x 1m



ONDUTISS AIR BREATHER MEMBRANE 120BBA

BEIGE

801189	50m x 1.5m
801190	50m x 1m



ONDUTISS AIR BREATHER MEMBRANE 140BBA

BLUE

801191	50m x 1.5m
801192	50m x 1m



ONDUTISS AIR BREATHER MEMBRANE 160BBA

BEIGE

801193	50m x 1.5m
801194	50m x 1m



PLASTERING AND DRYLINING

Beading

Our drylining range includes angle beads, edge beads and stop beads, available in galvanised steel and PVC.

Each is engineered for strength, stability and a professional finish. Easy to install and highly durable, these beads offer superior impact resistance and help achieve sharp, clean lines across all internal wall and ceiling applications.

Ready-Mixed Compounds

SMIG A-2 is a high-performance, ready-mixed jointing compound designed for smooth application, excellent adhesion and quick drying – ideal for jointing, filling and finishing. For areas prone to movement, SMIG C-50 delivers enhanced strength and long-term durability without the need for jointing tape.

SECTION CONTENTS:

PAGE:

GALVANISED BEADS

35

PVC BEADS




36

DRYWALL SCREWS

37

JOINTING AND FINISHING


38



GALVANISED PLASTERERS' BEADS


GALVANISED STEEL THIN COAT ANGLE BEAD

CODE	BEAD LENGTH (mm)
801468	2400
803912	2700
803913	3000



PACK
SIZE
50

GALVANISATION STANDARD: 275g/m² Zinc Coating. INTERNAL USE ONLY.




GALVANISED STEEL EDGE BEAD 12.5mm

CODE	BEAD LENGTH (mm)
803914	3000



PACK
SIZE
50

GALVANISATION STANDARD: 275g/m² Zinc Coating. INTERNAL USE ONLY.




GALVANISED STEEL EDGE BEAD 15mm

CODE	BEAD LENGTH (mm)
803915	3000



PACK
SIZE
50

GALVANISATION STANDARD: 275g/m² Zinc Coating. INTERNAL USE ONLY.




GALVANISED STEEL STOP BEAD 3mm

CODE	BEAD LENGTH (mm)
803916	2400
803917	3000



PACK
SIZE
50


GALVANISATION STANDARD: 275g/m² Zinc Coating. INTERNAL USE ONLY.



PVC PLASTERERS' BEADS


PVC THIN COAT ANGLE BEAD 15mm

CODE	BEAD LENGTH (mm)
803918	2500




PACK
SIZE
34

INTERNAL AND EXTERNAL USE




PVC THIN COAT ANGLE BEAD 10mm

CODE	BEAD LENGTH (mm)
803919	2500



PACK
SIZE
34

INTERNAL AND EXTERNAL USE




PVC THIN COAT ANGLE BEAD 6mm

CODE	BEAD LENGTH (mm)
803920	2500




PACK
SIZE
50

INTERNAL AND EXTERNAL USE




PVC THIN COAT ANGLE BEAD 4mm

CODE	BEAD LENGTH (mm)
803921	2500



PACK
SIZE
50


INTERNAL AND EXTERNAL USE




PVC PLASTERERS' BEADS

PVC STOP BEAD 15mm

CODE	BEAD LENGTH (mm)
803922	2500


**PACK
SIZE
34**


INTERNAL AND EXTERNAL USE




15 40

PVC STOP BEAD 10mm

CODE	BEAD LENGTH (mm)
803923	2500


**PACK
SIZE
34**


INTERNAL AND EXTERNAL USE




10 40

PVC STOP BEAD 6mm

CODE	BEAD LENGTH (mm)
803924	2500


**PACK
SIZE
50**

INTERNAL AND EXTERNAL USE



5 40

DRYWALL SCREWS

CODE	DESCRIPTION	SIZE	PACK QTY
803925	Collated Drywall Screws Black	3.5 x 25mm	100
803926	Collated Drywall Screws Black	3.5 x 35mm	1000
803927	Collated Drywall Screws Black	3.5 x 45mm	1000
803928	Drywall Screws Fine Thread Tapping Point	3.5 x 25mm	1000
803929	Drywall Screws Fine Thread Tapping Point	3.5 x 32mm	800
803930	Drywall Screws Fine Thread Tapping Point	3.5 x 38mm	500
803931	Drywall Screws Fine Thread Tapping Point	3.5 x 42mm	500
803932	Drywall Screws Fine Thread Tapping Point	3.5 x 50mm	400
803933	Drywall Screws Fine Thread Tapping Point	3.9 x 60mm	250
803934	Drywall Screws Fine Thread Tapping Point	3.9 x 75mm	250
803935	Drywall Screws Fine Thread Self Drilling Point	3.5 x 25mm	1000
803936	Drywall Screws Fine Thread Self Drilling Point	3.5 x 35mm	600
803937	Drywall Screws Fine Thread Self Drilling Point	3.5 x 42mm	500
803938	Drywall Screws Fine Thread Self Drilling Point	3.5 x 55mm	400





A-2 JOINTING & FINISHING COMPOUND

- Minor repairs, skimming & jointing
- Ready-mixed, no preparation needed
- Can be stored for future use
- White finish - ready to paint
- Polymer-based for flexibility
- Compatible with various surfaces
- Dries in 1-2 hours
- Easily sanded with minimal dust



Interior



Layer up to 5 mm



Flexible



Working Temperature
40° C
10° C
0° C



Jointing Function



Total Drying Time
1-2 h



Coverage



Sanding
Manually or Mechanically

SMIG JOINTING & FINISHING COMPOUNDS

SMIG A-2



800945	1.5kg
800946	5kg
800947	15kg
800948	20kg

SMIG C-50



800958	17kg
--------	------

SMIG SKIMMING BLADE



802715	15cm
802716	45cm

RADMAT BUILDING MATERIALS TERMS & CONDITIONS

Welcome to Radmat Building Materials. Our commitment to quality and service underpins every product we offer. To ensure a smooth experience, please take a moment to review our ordering and delivery terms.

Ordering Process

When placing an order, please provide the Radmat Building Materials product code, description, and quantity. **Orders must be received by 4:00 pm, Monday to Friday.** Purchase orders must comply with the agreed terms provided by Radmat Building Materials. If pricing does not comply, the entire order will be placed on hold for customer consultation to resolve discrepancies before processing.

Cancellation Policy

Radmat Building Materials reserves the right to charge for cancelled orders after the cut-off time to cover administration and potential delivery costs. To avoid charges, cancellations must be notified to Radmat Building Materials, with confirmation of receipt, by **4:00 pm the day before delivery.** A cancellation charge of up to **£50** may apply.

Delivery Charges

Orders over £350: Free delivery

Orders under £350: £50 delivery charge

Site deliveries: One-off charge of £50

Returns and Claims

Notification of Claims: Claims for defective goods must be made within 48 hours of delivery or within a reasonable period if defects are not immediately apparent. Returns must be in resaleable condition.

Radmat Building Materials reserves the right to reject claims not made within this period. Claims for shortages must also be made **within 2 working days of delivery**, with confirmation of receipt by Radmat Building Materials. Only goods deemed resaleable upon collection will be credited.

Radmat Building Materials will inform the customer within **48 hours** of any rejections or discrepancies.

Recommendation: Always inspect orders upon delivery and report defects before commencing installation, as failure to do so may affect any potential claims.

Cut-to-Size Service

A bespoke cutting service is available and is provided on a **non-returnable basis.**

A cutting charge may apply.

Collection Information

Goods may be collected from Radmat Building Materials by prior arrangement.

Published site practices must be adhered to.

Customer Support

If you have any queries regarding your order or delivery, our team is here to help. Please contact us at **01452 203276** or **enquiries@radmatbm.com.**

Disclaimer

Please ensure you have read and understood our terms and conditions before placing an order. These terms are subject to change without prior notice.

For the most up-to-date terms and policies, visit our website at **www.radmatbm.com**



For more information about the products and services we offer, please get in touch with us by phone or email.

Radmat Building Materials
Unit 9 Indurent Park, Stonehouse, Gloucester GL10 3EZ

Telephone: 01452 203276

Email:

sales@radmatbm.com

technical@radmatbm.com

enquiries@radmatbm.com

Scan below to visit our website, socials etc.



Opening hours:

Monday-Friday 07:00 - 16:30

Join us as a stockist of Radmat Building Materials and expand your portfolio with our diverse range of products. In addition to roofing and waterproofing, discover our other ranges including doors, ready-mixed plasters, jointing compounds and much more.

Benefit from our meticulous craftsmanship and commitment to quality, ensuring reliability and customer satisfaction. With efficient supply chain management and exceptional customer service, we guarantee prompt delivery and economical value.